



40 West Louise Ave., Salt Lake City, UT 84115  
Phone: (801) 485-1800 Fax: (801) 484-9211  
Email: utlab@advancedlabsinc.com  
FDA Registration #3006423386

If you liked our service, please tell a friend. If you didn't, please tell us!

## Test Certificate

Description: Vegital Silica  
Sample ID:  
Lot No: 110118  
Part Code:  
Location:  
PO No:  
Received: 11/16/2018

Client: Organa Mineral Products  
Attn: Lance Jackson  
515 W. 300 N. Suite F  
St. George, UT 84770-3168

Lab No: 161655-01  
Completed: 11/21/2018


Analysis	Result	Per Unit	Method
Total Aerobic Microbial Count	<10	CFU/ml	USP <2021>
Coliform Count	<3	MPN/ml	FDA BAM
E. Coli Count	<3	MPN/ml	FDA BAM
Staphylococcus Count	Absent	per 10 ml	USP <2022>
Salmonella	Negative	per 25 ml	FDA BAM
Total Yeast & Mold	<10	CFU/ml	USP <2021>
Yeast *	<10	CFU/ml	
Mold *	<10	CFU/ml	
Pseudomonas aeruginasa	Absent	per 10 ml	USP <62>

\* For informational purposes only.

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By:

  
Alisa Farnsworth-Quality Technician

Dated: 11/21/2018

Printed: 11/21/2018 2:42:59 PM

